

Pressure drop curves

Taschenfilter SynaWave

Filtres à poches SynaWave

Bag filters SynaWave







UNIFIL AG
FILTERTECHNIK

SynaWave® FW: 10, 8 and 6 bags; l = 580mm
SynaWave® KW: 10, 8 and 6 bags; l = 450mm
SynaWave® FXW: 10, 8 and 6 bags; l = 360mm

Dimensions 592 x 592mm

All versions are also available in your required dimensions.

For ISO ePM10 50%-60%/M6, ISO ePM1 70%/F7 and ISO ePM1 90%/F9 according to ISO 16890 / EN 779



Subject to technical modifications - the most recent data under www.unifil.ch

Unifil AG Filtertechnik · Industriestrasse 1 · 5702 Niederlenz · Schweiz · T +41 62 885 01 00 · info@unifil.ch

Pressure drop curves

Taschenfilter SynaWave

Filtres à poches SynaWave


Bag filters SynaWave



ISO ePM1 70 % / ISO ePM1 60 %

Dimensions 592 x 592mm

All versions are also available in your required dimensions.



Artikelbezeichnung / Article	Energy	m3/h / Pa	kWh/J
1) TW-1/70 A+-592-592-600-H	A+	3400/55	680
2) TW-1/70 A+-592-592-450-H	A+	3400/59	897
3) TW-1/70 A-592-592-450-H	A	3400/73	1098
4) TW-1/70 B-592-592-400-H	B	3400/78	1236
5) TW-1/70 C-592-592-350-H	C	3400/86	1545
6) TW-1/60 D-592-592-450-H	D	3400/135	1961
7) TW-1/60 E-592-592-350-H	E	2700/130	n.a.

Subject to technical modifications- the most recent data under www.unifil.ch

Unifil AG Filtertechnik · Industriestrasse 1 · 5702 Niederlenz · Schweiz · T +41 62 885 01 00 · info@unifil.ch

Pressure drop curves

Taschenfilter SynaWave


Filtres à poches SynaWave

Bag filters SynaWave

ISO ePM1 90 %

Dimensions 592 x 592mm

All versions are also available in your required dimensions.



Artikelbezeichnung / Article	Energy	m3/h / Pa	kWh/J
1) TW-1/90 A+-592-592-600-H	A+	3400/77	995
2) TW-1/90 A+-592-592-500-H	A+	3400/87	1185
3) TW-1/90 A-592-592-450-H	A	3400/93	1325
4) TW-1/90 C-592-592-350-H	C	3400/116	1780